

Enameled Iron Sanitary Ware


SALEM, OHIO. U.S.A.

THE NATIONAL SANITARY COMPANY

Enameled Cast Iron Vitreous China Sanitary Ware

1929

SALEM, OHIO, U.S.A.



New and Nodern Plant of THE NATIONAL SANITARY COMPANY SALEM, OHIO

Grected 1928

INTRODUCTION

In this catalogue you will find, illustrated, our line of sanitary plumbing fixtures. All of the illustrations have been made from actual photographs of the fixtures shown and will give the purchaser an idea as to the shape of the piece but the quality can only be shown in the actual fixture.

TERMS

Thirty days net or two percent discount if paid within ten days from date of invoice.

INSPECTION AND SHIPMENT

All goods are inspected when made and again before being crated. Orders are checked and rechecked before shipping. Packing is done by experienced men, thus taking all reasonable precautions against breakage or damage. Therefore our responsibility ceases upon delivery of goods in good order to transportation company.

DAMAGES

Guaranteed goods proving defective in material or workmanship will be replaced, but no claims will be allowed for labor, cartage, or other contingent damage.

RETURNED GOODS

No credit will be allowed for goods returned unless full explanation has been made and our consent obtained.

When goods are returned, please be careful to put marks plainly thereon, showing from whom returned.

All orders are accepted subject to delays in delivery resulting from fires, strikes and other causes beyond our control.

No freight allowance on shipments of 200 pounds and under.

ENAMELED WARE-GRADING RULES

Adopted by

THE ENAMELED SANITARY WARE MANUFACTURERS' ASSOCIATION

Enameled Sanitary Ware is thoroughly coated with enamel of good color, as evenly and smoothly as the limitations of the art permit. Careful inspection of each article is employed in the different processes of manufacture. Unimportant variations, which cannot be entirely prevented, are not valid causes for rejection or for complaint, and no claims will be entertained for them. These variations include pin holes, minute scratches or lines, unevenness and small specks of foreign matter.

A visit to any of the works to see ware in process of manufacture is one of the best possible ways to overcome tendency towards unreasonable criticism of general quality.

Absolute Perfection Is Not Guaranteed or Commercially Possible

THE TREATMENT OF ENAMELED WARE

While the casting part can withstand considerable shock without breaking, the enamel coating is of porcelain composition, and if the article is subjected to severe strains or shocks, this coating will shatter or crack in the same manner as will china or glass.



Cornwall—Plate N-10

One Piece Built-in Bath Enameled All Over. Right Hand Corner with Outlet in Right Hand End. Drilled for Top Nozzle Supply Fitting as shown.


Can also be furnished Drilled for Double Bath Combination and Connected Waste and Overflow.

DIMENSIONS

Made in Two Sizes as Follows:

That the I to Bixes to I ottows.					
Size	5	ft.	5 1/2	ft.	
Length over all	$60\frac{1}{2}$	in.	$66\frac{1}{2}$	in.	
Width over all	$30\frac{1}{2}$	in.	$30\frac{1}{2}$	in.	
Height over all	18	in.	18	in.	
Depth inside	17	in.	17	in.	
Rim	3 3/4	in.	3 3/4	in.	
Approx. shipping weight	570	lbs.	630	lbs.	
Action from the property of th					

IMPORTANT-Be sure to state kind of drilling wanted.



Cornwall—Plate N-11


One Piece Built-in Bath Enameled All Over. Left Hand Corner with Outlet in Left Hand End. Drilled for Top Nozzle Supply Fitting as shown.

Can also be furnished Drilled for Double Bath Combination and Connected Waste and Overflow.

DIMENSIONS

Made in Two Sizes as Follows:

Size	5	ft.	$5\frac{1}{2}$	ft.
Length over all	$60\frac{1}{2}$	in.	$66\frac{1}{2}$	in.
Width over all	$30\frac{1}{2}$	in.	$30\frac{1}{2}$	in.
Height over all	18	in.	18	in.
Depth inside	17	in.	17	in.
Rim	3 3/4	in	3 3/4	in.
Approx, shipping weight	570	lbs.	630	lbs.
IMPORTANT—Re sure to state kind of drilling	want	ed.		



Senior Recess

Plate N-14 - Outlet in Right Hand End Plate N-15 - Outlet in Left Hand End

One Piece Built-in Bath for Recess Enameled All Over. Drilled for Top Nozzle Supply Fitting as shown.

Can also be furnished Drilled for Double Bath Combination and Connected Waste and Overflow.

DIMENSIONS

Made in Two Sizes as Follows:

Size	5	ft.	5½ ft.
Length over all	$59\frac{1}{2}$	in.	65½ in.
Width over all	30	in.	30 in.
Height over all	$18\frac{1}{4}$	in.	18¼ in.
Depth inside	17	in.	17 in.
Rim	3 3/4	in.	3¾ in.
Approx. shipping weight	525	lbs.	620 lbs.

IMPORTANT-Be sure to state kind of drilling wanted.



A Junior—Plate N-20

One Piece Built-in Bath Enameled All Over or Enameled Inside Only. Left Hand Corner with Outlet in Right Hand End. Drilled for Top Nozzle Supply Fitting as shown.


Can also be furnished Drilled for Double Bath Combination and Connected Waste and Overflow.

DIMENSIONS

Made in Two Sizes as Follows:

Sizes	5	ft.	$5\frac{1}{2}$	ft.
Length over all	$61\frac{1}{2}$	in.	$67\frac{1}{2}$	in.
Width over all	$29\frac{1}{2}$	in.	$29\frac{1}{2}$	in.
Height over all	$18\frac{1}{4}$	in.	181/4	in.
Depth inside	17	in.	17	in.
Rim	3	in.	3	in.
Approx. shipping weight	560	lbs.	625	lbs.

IMPORTANT—Be sure to state kind of drilling wanted and advise whether bath is to be enameled all over or enameled inside only.



B Junior—Plate N-21

One Piece Built-in Bath Enameled All Over or Enameled Inside Only. Right Hand Corner with Outlet in Left Hand End. Drilled for Top Nozzle Supply Fitting as shown.


Can also be furnished Drilled for Double Bath Combination and Connected Waste and Overflow.

DIMENSIONS

Made in Two Sizes as Follows:

Sizes	5	ft.	5 1/2	ft.
Length over all	$61\frac{1}{2}$	in.	$67\frac{1}{2}$	in.
Width over all		in.	$29\frac{1}{2}$	in.
Height over all	181/4	in.	$18\frac{1}{4}$	in.
Depth inside	17	in.	17	in.
Rim	3	in.	3	in.
Approx. shipping weight	560	lbs.	625	lbs.
Approx. Shipping weight				

IMPORTANT—Be sure to state kind of drilling wanted and advise whether bath is to be enameled all over or enameled inside only.



AX Junior—Plate N-22

One Piece Built-in Bath Enameled All Over or Enameled Inside Only. Left Hand Corner with Outlet in Left Hand End. Drilled for Top Nozzle Supply Fitting as shown.

Can also be furnished Drilled for Double Bath Combination and Connected Waste and Overflow.

DIMENSIONS

Made in Two Sizes as Follows:

Sizes	5	ft.	$5\frac{1}{2}$	ft.
Length over all	$61\frac{1}{2}$	in.	$67\frac{1}{2}$	in.
Width over all	$29\frac{1}{2}$	in.	$29\frac{1}{2}$	in.
Height over all	$18\frac{1}{4}$	in.	$18\frac{1}{4}$	in.
Depth inside	17	in.	17	in.
Rim	3	in.	3	in.
Approx. shipping weight	500	lbs.	600	lbs.

Important—Be sure to state kind of drilling wanted and advise whether bath is to be enameled all over or enameled inside only.



BX Junior—Plate N-23

One Piece Built-in Bath Enameled All Over or Enameled Inside Only. Right Hand Corner with Outlet in Right Hand End. Drilled for Top Nozzle Supply Fitting as shown.


Can also be furnished Drilled for Double Bath Combination and Connected Waste and Overflow.

DIMENSIONS

Made in Two Sizes as Follows:

Sizes	5	ft.	$5\frac{1}{2}$	ft.
Length over all	$61\frac{1}{2}$	in.	$67\frac{1}{2}$	in.
Width over all	$29\frac{1}{2}$	in.	$29\frac{1}{2}$	in.
Height over all	$18\frac{1}{4}$	in.	$18\frac{1}{4}$	in.
Depth inside	17	in.	17	in.
Rim	3	in.	3	in.
Approx. shipping weight	560	lbs.	625	lbs.

IMPORTANT—Be sure to state kind of drilling wanted and advise whether bath is to be enameled all over or enameled inside only.



Junior Recess

Plate N-24 - Outlet in Right Hand End Plate N-25 - Outlet in Left Hand End

One Piece Built-in Bath for Recess Enameled All Over or Enameled Inside Only. Drilled for Top Nozzle Supply Fitting as shown.

Can also be furnished Drilled for Double Bath Combination and Connected Waste and Overflow.

DIMENSIONS

Made in Two Sizes as Follows:

Sizes	5	ft.	5½ ft.
Length over all	$59\frac{1}{2}$	in.	$65\frac{1}{2}$ in.
Width over all	$29\frac{1}{2}$	in.	$29\frac{1}{2}$ in.
Height over all	$18\frac{1}{4}$	in.	18¼ in.
Depth inside			
Rim	3	in.	3 in.
Approx. shipping weight	500	lbs.	600 lbs.

IMPORTANT—Be sure to state kind of drilling wanted and advise whether bath is to be enameled all over or enameled inside only.




Plate N-39-D


Tub on Loose Base, Enameled Inside, Painted Outside.

DIMENSIONS

Rim 3 in.

Width over rim	in.	Height22	in.
	in.	Depth17½	in.
Made in Three Size	e as F	'allome:	

Sizes $4\frac{1}{2}$ ft. 5 ft. 5\fm ft. Approx. shipping weight 310 lbs. 345 lbs. 375 lbs.




Tub on Feet, Enameled Inside, Painted Outside.

DIMENSIONS

Rim 3 in.

Width over rim	30	in. He	eight	22 in.
Width inside	24	in. De	pth	17½ in.
Sizes4 ft.	4½ ft.	5 ft.	5½ ft.	6 ft.
Ap. shipping wt235 lbs.	275 lbs.	300 lbs.	330 lbs.	375 lbs.




Tub on Feet, Enameled Inside, Painted Outside.

DIMENSIONS

Width	over rim26	in.	Height22	in.
Width	inside22	in.	Depth17	in.

Made in Three Sizes as Follows:

Sizes4 ft.	4½ ft.	5 ft.
Approx. shipping weight	250 lbs.	285 lbs



Enameled Barber's two-bowl Pedestal Lavatory with Soap Cups and Enameled Pedestals. Drilled for shampoo fixture and standing wastes.

DIMENSIONS

in.

Sizes 26 Basin 12½ Height from floor to top of slab. Approximate shipping weight.	$\frac{x17\frac{1}{2}}{31\frac{1}{2}}$	in.
ROUGHING-IN MEASUREMENTS		
Center to center wastes across slab	$\frac{12\frac{1}{2}}{12}$	in. in. in. in.




Plate N-130D

Enameled Serpentine Lavatory with Soap Cup and Enameled Pedestal.

DIMENSIONS

Size Height from floor to	.25x34 in. top of slab	Basin1	2½ x17½ in.
_	- r		01/4 111.

ROUGHING-IN MEASUREMENTS

Center to center supplies 12 in. Center waste to wall......14½ in. Center supplies to wall.... 9 in. Approx. shipping weight 250 lbs.

N-130 Regular drilling for chain and plug.
N-130A Drilled for standing waste.
N-130B Drilled for pop-up waste.
N-130D Drilled for shampoo fixture.



Plate N-131D

Enameled Serpentine Lavatory with Soap Cup and Enameled Pedestal.

DIMENSIONS

Basin......11½x16½ in. Size......23x27 in.

ROUGHING-IN MEASUREMENTS

Center to center supplies 12 in. Center waste to wall.......13½in. Center supplies to wall.....8¾in. Approx. shipping weight 215 lbs.

N-131 Regular drilling for chain and plug. N-131A Drilled for standing waste. N-131B Drilled for pop-up waste. N-131D Drilled for shampoo fixture



Enameled Lavatory with Rear Outlet Oval Bowl and Enameled Pedestal.

DIMENSIONS

		Basin11½ x16½	
Size23x26	in.	Basin12½x17½	in.
Height from floor to top of	slab	31	in.

ROUGHING-IN MEASUREMENTS

	203	(24	233	c26
Center to center supplies	12	in.	12	in.
Center supplies to wall	5 3/4	in.	7	in.
Center waste to wall	11	in.	111/2	in.
Approx. shipping weight	185	lbs.	215	lbs.
(Measurements allow 2 inches between lavate	ory an	nd w	all)	

Plate N-137 Regular drilling for chain and plug.
Plate N-137A Drilled for standing waste.
Plate N-137B Drilled for pop-up waste.
Plate N-137-D Drilled for shampoo fixture.



Plate N-150 Enameled Lavatory with Rear Outlet Oval Bowl and Wall Hanger.

DIMENSIONS

Size	18x21	Basin	$10\frac{1}{2}$ x $14\frac{1}{2}$	in.	Back	71/2	in.
Size	18x24	Basin	11×16	in.	Back	10	in.
Size	20x24	Basin	$11\frac{1}{2} \times 16\frac{1}{2}$	in.	Back	10	in.

ROUGHING-IN MEASUREMENTS

1	8x21		18x2	4	20x	24
Center to center supplies	12	in.	12	in.	12	in.
Center supplies to wall	3 3/4	in.	31/4	in.	4	in.
Center waste to wall	7	in.	7	in.	8	in.
Approx. shipping weight	85 lb	S.	100 l	bs.	125	lbs.

Plate N-150 Regular drilling for chain and plug. Plate N-150A Drilled for standing waste. Plate N-150B Drilled for pop-up waste.

Plate N-160
Enameled Lavatory with Rear Outlet Oval Bowl and Wall Hanger.

DIMENSIONS

Size 16x19	Basin	10x14 in.	Back	6 in.
Size 18x21	Basin	10x14 in.	Back	8 in.

ROUGHING-IN MEASUREMENTS

		18x21
Center to center supplies.	12 in	. 12 in.
Center supplies to wall	31/4 in	. 3½ in.
Center waste to wall		$7\frac{1}{4}$ in.
Approx, shipping weight	65 lbs.	85 lbs.

Plate N-160 Regular drilling for chain and plug. Plate N-160A Drilled for standing waste. Plate N-160B Drilled for pop-up waste.



Enameled Lavatory with Rear Outlet Oval Bowl and Wall Hanger.

DIMENSIONS

Size 16x19	Basin	10x14 in.	Back	6 in.
Size 18x21	Basin	10x14 in.	Back	8 in.

ROUGHING-IN MEASUREMENTS

	16x19	18x21
Center to center supplies	12 in.	12 in.
Center supplies to wall	3½ in.	$3\frac{1}{2}$ in.
Center waste to wall	61/4 in.	7¼ in.
Approx. shipping weight	55 lbs.	75 lbs.



Enameled Lavatory with Center Outlet Oval Bowl and Wall Hanger.

DIMENSIONS

Size 14x26 Basin, 10x16 in. Back, 6 in.

ROUGHING-IN MEASUREMENTS

Center to center supplies.	16	in.
Center supplies to wall.	31/4	
Center waste to wall	7	in.
Approx. shipping weight	75	




Plate N-170

Enameled Lavatory with Rear Outlet Oval Bowl and Wall Hangers.

Length on sides	20 in.	17½ in.
Basin	11x15 in.	10x14 in.
Back	8 or 10 in.	6 in.

ROUGHING-IN MEASUREMENTS

	20 in. size	$17\frac{1}{2}$ in. size
Center to center supplies	7 in.	6 in.
Center right supply to wall	3¾ in.	$3\frac{1}{2}$ in.
Center left supply to right wall	9 in.	7¾ in.
Center waste to wall	8¾ in.	8¾ in.
Approx shipping weight	90 lbs.	75 lbs.

Plate N-170 Regular drilling for chain and rlug. Plate N-170A Drilled for standing waste.



Plate N-172

Enameled Lavatory with Rear Outlet Oval Bowl and Wall Hangers.

DIMENSIONS

Length on sides	20 in.	17½ in.
Basin	11x15 in.	10x14 in.
Back	8 or 10 in.	6 in.

ROUGHING-IN MEASUREMENTS

	20 in.	size	171/2	in. size
Center to center supplies	7	in.		6 in
Center right supply to wall		in.		3½ in.
Center left supply to right wall		in.		7¾ in.
Center waste to wall	9	in.		$8\frac{1}{2}$ in.
Approx. shipping weight	90	lbs.		70 lbs.



Plate N-200

Enameled Lavatory with Center Outlet Bowl and Wall Hanger.

DIMENSIONS Basin 12 in. Back 4 in.

Size 14x14 in.

Center to center supplies	$\frac{3\frac{1}{4}}{7\frac{1}{2}}$	in.
Approx, shipping weight	50	lbs.





Plate N-201
Enameled Lavatory with Center Outlet Bowl and Wall Hangers.

wan mangers.		
DIMENSIONS		
Length of sides 15 in. Round Basin 12 in. Back	4 in.	
ROUGHING-IN MEASUREMENTS		
Center to center supplies	151/2	in.
Center right supply to wall.	23%	
Center left supply to right wall	133/4	in.
Center waste to wall	81/2	
Approx. shipping weight	55 1	



Melbourne—Plate N-235

Eight-inch Back, Eight-inch Sink, Eight-inch Apron.

Enameled One-piece Apron Sink with two drain boards on concealed wall hangers. Can be furnished with adjustable enameled legs.

Length over all	60	in.
Width over all		in.
Length of sink		in.
Depth of sink		in.
Length of drain boards		in.
Back	8	in.
Apron	8	in.
Approx, shipping weight	360	lbs.



Prescott—Plate N-240

Eight-inch Back, Eight-inch Sink, Eight-inch Apron.

Enameled One-piece Apron Sink with right hand drain board on concealed wall hangers. Can be furnished with adjustable enameled legs.

Length over all.	52	in.
Width over all	22	in.
Length of sink	28	in.
Depth of sink	8	in.
Length of drain board	24	in.
Back	8	in.
Apron	8	in.
Approx. shipping weight	320	lbs.



Prescott—Plate N-241

Eight-inch Back, Eight-inch Sink, Eight-inch Apron.

Enameled One-piece Apron Sink with left hand drain board on concealed wall hangers. Can be furnished with adjustable enameled legs.

Length over all	52	in.
Width over all	22	in.
Length of sink	28	in.
Depth of sink	8	in.
Length of drain board	24	in.
Back	8	in.
Apron	8	in.
Approx. shipping weight	320	lbs.





Plate N-265

Enameled One-piece Apron Sink with double drain board on concealed wall hangers. Can be furnished with adjustable enameled legs.

DIMENSIONS


Made in Two Sizes as Follows:

Length over all	60	in.	74	in.
Width over all	22	in.	22	in.
Length of sink	22	in.	28	in.
Depth of sink	6	in.	7	in.
Length of drain boards	19	in.	23	in.
Back	12	in.	$12\frac{3}{4}$	in.
Apron	6	in.	7	in.
Approx. shipping weight	325	lbs.	425	lbs.




Enameled One-piece Apron Corner Sink with right hand end piece and right hand drain board, on concealed wall hangers. Can be furnished with adjustable enameled leg.

Length over all	52	in.
Width over all	22	in.
Length of sink	28	in.
Depth of sink	6	in.
Length of drain board	24	in.
Back	12	in.
Apron	6	in.
Approx. shipping weight	295	lbs.



Enameled One-piece Apron Corner Sink with left hand end piece and left hand drain board, on concealed wall hangers. Can be furnished with adjustable enameled leg.

Length over all.	52	in.
Width over all	22	in.
Length of sink	28	in.
Depth of sink	6	in.
Length of drain board	24	in.
Back	12	in.
Apron	6	in.
Approx. shipping weight	295	lbs.




Enameled One-piece Apron Corner Sink with left hand end piece and right hand drain board, on concealed wall hangers. Can be furnished with adjustable enameled leg.

DIMENSIONS

Made in Three Sizes as Follows:

Length over all	52	in.	48	in.	42	in.
Width over all	20	in.	20	in.	20	in.
Length of sink	28	in.	26	in.	22	in.
Depth of sink	6	in.	6	in.	6	in.
Length of drain board	24	in.	22	in.	20	in.
Back	12	in.	12	in.	12	in.
Apron	6	in.	6	in.	6	in.
Approx. shipping weight	285	lbs.	260	lbs.	240	lbs.




Enameled One-piece Apron Corner Sink with right hand end piece and left hand drain board, on concealed wall hangers. Can be furnished with adjustable enameled leg.

DIMENSIONS

Made in Three Sizes as Follows:

Length over all	52	in.	48	in.	42	in.
Width over all	20	in.	20	in.	20	in.
Length of sink	28	in.	26	in.	22	in.
Depth of sink	6	in.	6	in.	6	in.
Length of drain board	24	in.	22	in.	20	in.
Back	12	in.	12	in.	12	in.
Apron	6	in.	6	in.	6	in.
Approx. shipping weight	285	lbs.	260	lbs.	240	lbs.




Enameled One-piece Apron Sink with right hand drain board on concealed wall hangers. Can be furnished with adjustable enameled legs.

DIMENSIONS

Made in Three Sizes as Follows:

Length over all	52	in.	48	in.	42	in.
Width over all	20	in.	20	in.	20	in.
Length of sink	28	in.	26	in.	22	in.
Depth of sink	6	in.	6	in.	6	in.
Length of drain board	24	in.	22	in.	20	in.
Back	12	in.	12	in.	12	in.
Apron	6	in.	6	in.	6	in.
Approx. shipping weight						lbs.




Enameled One-piece Apron Sink with left hand drain board on concealed wall hangers. Can be furnished with adjustable enameled legs.

DIMENSIONS

Made in Three Sizes as Follows:


Length over all Width over all Length of sink Depth of sink Length of drain board Back	20 28 6 24 12 6	in. in. in. in. in. in.	6 22 12 6	in. in. in. in. in.	20 22 6 20 12 6	in. in. in. in. in. in. in.
ApronApprox. shipping weight	6					



Enameled One-piece Roll Rim sink with right hand drain board on concealed wall hangers. Can be furnished with adjustable painted legs.

DIMENSIONS

Length over all	52	in.	42	in.
Width over all	20	in.	20	in.
Length of sink	28	in.	22	in.
Depth of sink	6	in.	6	in.
Length of drain board	24	in.	20	in.
Back	12	in.	12	in.
Approx. shipping weight	230	lbs.	180	lbs.



Enameled One-piece Roll Rim sink with left hand drain board on concealed wall hangers. Can be furnished with adjustable painted legs.

DIMENSIONS


Length over all	52	in.	42	in.
Width over all	20	in.	20	in.
Length of sink	28	in.	22	in.
Depth of sink	6	in.	6	in.
Length of drain board	24	in.	20	in.
Back	12	in.	12	in.
Approx. shipping weight	230	lbs.	180	lbs.




Enameled One-piece Roll Rim Sink with left hand end piece and right hand drain board, on concealed wall hangers. Can be furnished with adjustable painted leg.

DIMENSIONS

Length over all	52	in.	42	in.
Width over all	20	in.	20	in.
Length of sink	28	in.	22	in.
Depth of sink	6	in.	6	in.
Length of drain board	24	in.	20	in.
Back	12	in.	12	in.
Approx. shipping weight	265	lbs.	208	lbs.






Enameled One-piece Roll Rim Sink with right hand end piece and left hand drain board, on concealed wall hangers. Can be furnished with adjustable painted leg.


DIMENSIONS

Length over all	52	in.	42	in.
Width over all	20	in.	20	in.
Length of sink	28	in.	22	in.
Depth of sink	6	in.	6	in.
Length of drain board	24	in.	20	in.
Back	12	in.	12	in.
Approx. shipping weight.	265	lbs.	208	lbs.



Enameled One-piece Roll Rim Sink with left hand end piece and left hand drain board, on concealed wall hangers. Can be furnished with adjustable painted leg.

Length over all	52	in.
Width over all		in.
Length of sink	28	in.
Depth of sink.		in.
Length of drain board		in.
Back	12	in.
Approx. shipping weight	265	lbs.



Enameled One-piece Roll Rim Sink with right hand end piece and right hand drain board, on concealed wall hangers. Can be furnished with adjustable painted leg.

Length over all	52	in.
Width over all	20	in.
Length of sink	28	in.
Depth of sink	6	in.
Length of drain board	24	in.
Back	12	in.
Approx. shipping weight	265	lbs.




Plate N-283

Enameled One-piece Roll Rim Sink with double drain board on concealed wall hangers. Can be furnished with adjustable painted legs.

Length over all	60	in.
Width over all	22	in.
Length of sink	22	in.
Depth of sink	6	in.
Length of drain boards	19	in.
Back	12	in.
Approx. shipping weight	280	lbs.



Plate N-290

Enameled one-piece apron laundry tray and sink combination, with right hand laundry tray and interchangeable ash drainboard. Supported on concealed wall hangers and adjustable enameled legs.

Length over all	51	in.	
Width over all	$23\frac{1}{2}$	in.	
Sink inside	$19\frac{1}{2}x$	$21\frac{3}{4}$	in.
Depth of sink inside	8	in.	
Tray inside	$19\frac{1}{2}x$		in.
Depth of tray inside	131/4	in.	
Back	8	in.	
Apron	6	in.	
Approx. shipping weight	400	lbs.	



Enameled one-piece apron laundry tray and sink combination, with left hand laundry tray and interchangeable ash drainboard. Supported on concealed wall hangers and adjustable enameled legs.

Length over all		in.	
Width over all	23 1/2	in.	
Sink inside	$19\frac{1}{2}$ X	213/4	in.
Depth of sink inside	8	in.	
Tray inside	$19\frac{1}{2}x$	213/4	in.
Depth of tray inside	$13\frac{1}{4}$	in.	
Back	8	in.	
Apron	6	in.	
Approx. shipping weight	400	lbs.	




Plate N-296

Enameled flat rim laundry tray on painted adjustable pedestal.

DIMENSIONS

Length over all each section	24	in.	26	in.
Width over all	22	in.	25%	in.
Length inside each section	$21\frac{1}{4}$	in.	$23\frac{1}{4}$	in.
Front to back inside	19	in.	$22\frac{3}{8}$	in.
Depth inside	14	in.	15	in.
Approximate shipping weight	135	ibs.	150	lbs.



Plate N-300

Enameled One-piece Roll Rim Sink, on concealed wall hangers.

Made in Six Sizes as Follows:

*18x24	inApprox.	Shipping	Wght.	(crated)	100	lbs.
18x30	inApprox.	Shipping	Wght.	(crated)	110	lbs.
*20x30	inApprox.	Shipping	Wght.	(crated)	120	lbs.
*22x30	inApprox.	Shipping	Wght.	(crated)	150	lbs.
20x36	inApprox.	Shipping	Wght.	(crated)	160	lbs.
*22x36	inApprox.	Shipping	Wght.	(crated)	175	lbs.
*Can be	furnished with Right o	r Left Har	nd End	Piece.		

Plate N-300R Right Hand End Piece. Plate N-300L Left Hand End Piece.





Plate N-400 Enameled Flat Rim Sink

Made in Eleven Sizes

12x12x6	inPacked	3	in	crate,	approx.	shipping	weight	85	lbs.
12x16x6	inPacked	3	in	crate,	approx.	shipping	weight	105	lbs.
16x20x6	inPacked	3	in	crate,	approx.	shipping	weight	115	lbs.
16x24x6	inPacked	3	in	crate,	approx.	shipping	weight	125	lbs.
16x30x6	inPacked	3	in	crate,	approx.	shipping	weight	130	lbs.
18x24x6	inPacked	3	in	crate,	approx.	shipping	weight	140	lbs.
18x30x6	inPacked	3	in	crate,	approx.	shipping	weight	180	lbs.
18x36x6	inPacked	3	in	crate,	approx.	shipping	weight	190	lbs.
20x24x6	inPacked	3	in	crate,	approx.	shipping	weight	180	lbs.
*20x30x6	inPacked	3	in	crate,	approx.	shipping	weight	200	lbs.
20x36x6	inPacked	3	in	crate,	approx.	shipping	weight	225	lbs.

*Can be furnished with center outlet for new style strainer.



Enameled Roll Rim Sink Back for Flat Rim Sinks.

ROUGHING-IN MEASUREMENTS

Center to center of cockholes			8	in.
Height of back			12	in.
Depth of roll	$1\frac{1}{2}$	and	21/4	in.

Made in Four Sizes:

Length 20 in. Packed 6 in crate, approx. shipping wght. 150 lbs. Length 24 in. Packed 6 in crate, approx. shipping wght. 165 lbs. Length 30 in. Packed 6 in crate, approx. shipping wght. 200 lbs. Length 36 in. Packed 6 in crate, approx. shipping wght. 250 lbs.

Important—Be sure to state depth of sink back desired.



Enameled Drain Board with Wall Support for Roll Rim Sinks.

SIZES

Made in Six Sizes as Follows:

18x18	in.	longApprox.	Shipping	Weight	35	lbs.
18x24	in.	longApprox.	Shipping	Weight	40	lbs.
20x18	in.	longApprox.	Shipping	Weight	40	lbs.
20x24	in.	longApprox.	Shipping	Weight	45	lbs.
22x18	in.	longApprox.	Shipping	Weight	45	lbs.
22x24	in.	longApprox.	Shipping	Weight	55	lbs.



Enameled Flat Rim Slop Sink

SIZES

Made in Seven Sizes as Follows:

12x12x6	inPacked	3	in	crate,	approx.	shipping	wght.	90	lbs.
16x16x10	inPacked	3	in	crate,	approx.	shipping	wght.	105	lbs.
14x20x12	inPacked	1	in	crate,	approx.	shipping	wght.	65	lbs.
16x20x12	inPacked	1	in	crate,	approx.	shipping	wght.	75	lbs.
20x24x12	inPacked	1	in	crate,	approx.	shipping	wght.	95	lbs.
20x30x12	inPacked	1	in	crate,	approx.	shipping	wght.	150	lbs.
20x36x12	inPacked	1	in	crate.	approx	shipping	wght.	175	lbs.



Enameled Roll Rim Slop Sink with 12-inch Back. Can be furnished with "S" or "P" Trap Standard.

16x20x12	inApprox.	Shipping	Weight	125	lbs.
18x22x12	inApprox.	Shipping	Weight	150	lbs.
20x24x12	inApprox.	Shipping	Weight	170	lbs.




Enameled Roll Rim Urinal with 10-inch Back and Wall Hangers.

ROUGHING-IN MEASUREMENTS

SIZES

Made in Five Sizes as Follows:



Enameled Closet Tank with Fittings, Supply Pipe to Floor and Flush Connection.

DIMENSIONS

Width 20 in. Height 15¼ in. Depth 6 in.

Tank with fittings.........Approx. Shipping Weight 100 lbs.

Tank without fittings.......Approx. Shipping Weight 95 lbs.



Enameled Closet Tank with Fittings, Supply Pipe to Floor and Flush Connection.

DIMENSIONS

Width 21 in. Height 16 in. Depth 7 in.

Tank with fittings.......Approx. Shipping Weight 100 lbs.

Tank without fittings......Approx. Shipping Weight 95 lbs.



Plate 1457-1504

Vitreous China Syphon Action Washdown Closet with jet. Furnished with Fittings, Supply Pipe to Floor and Flush Connection.

Approximate Shipping Weight

d

No. 1457 T	Tank with	Fittings	65	lbs.
No. 1504 V	Washdown		45	lbs.



Plate 1457-1517

Vitreous China Syphon Action Closet with Jet. Furnished with Fittings, Supply Pipe to Floor and Flush Connection.

Approximate Shipping Weight

No.	1457	Tank	with	Fittings		lbs.	
No	1517	Bowl			45	lbs.	



Plate 1457-1522

Vitreous China Syphon Jet Closet. Furnished with Fittings, Supply Pipe to Floor and Flush Connection.

Approximate Shipping Weight

No.	1457	Tank	with	Fittings	65	lbs.
No.	1522	Bowl			50	lbs.

